

From: [McMillan, Teresa](#)
To: [Coltrain, Katrina](#)
Subject: RE: Wilcox TO 128 DQOs
Date: Thursday, February 18, 2016 2:59:41 PM

Thanks Katrina.

From: Coltrain, Katrina [mailto:coltrain.katrina@epa.gov]
Sent: Thursday, February 18, 2016 11:54 AM
To: McMillan, Teresa <tmcmillan@eaest.com>
Subject: RE: Wilcox TO 128 DQOs

Teri, please see below. This has been shared with others so additional comments may be forthcoming.

1. Revise sentence--Residential sampling June 2015: Areas in the proximity of the five on site and 4 off site residences have been sampled by collecting 5-point composites from each grid established for each resident with the number of grids varying by property.
2. Step 2: add a goal related to characterization for treatment and/or disposal.

Katrina Higgins-Coltrain
Remedial Project Manager
US EPA Region 6
LA/OK/NM Section (6SF-RL)
1445 Ross Avenue
Dallas, Texas 75202
214-665-8143

From: McMillan, Teresa [<mailto:tmcmillan@eaest.com>]
Sent: Tuesday, February 16, 2016 1:47 PM
To: Coltrain, Katrina <coltrain.katrina@epa.gov>
Subject: Wilcox TO 128 DQOs

Katrina,

Attached is the working copy of the DQOs. I am assuming that these will be discussed during our smaller group calls.

So we may need to set up a call for DQOs, and CSMs. We are addressing comments on surface water and sediment sampling.

Thanks,

Teri McMillan, PG
EA Engineering, Science, and Technology, Inc., PBC

320 Gold Ave SW, Suite 1300
Albuquerque, New Mexico 87102
(505) 715-4332